
SWITCHFUSE & SWITCH SPLITTERS




SPLITTER UNIT

1.21 CSS 30AMPS SWITCH 2 CIRCUT 15 AMPS EACH 2.41 CSS 45 AMPS SWITCH 3 CIRCUT 15 AMPS EACH



CPL

- Very compact
- Deep drawn rust protected steel case dule ainted with stoving enamels.
- 3. The Switchfuse and Switch Splitters being front operated can be concealed for better interior.
- Lot of time and money is saved because it is internally connected.
- 5. Insulated Knob.
- Switchfuse does not have any moving parts i.e. dolly operation, hence failure chances are very very less.
- 7. Rewireable-cum-HRC
- Moving Phospher Bronze strips are fixed with Silver tips and fixed contacts are silver plated.



CONVENTIONAL

- 1. It occupies lot of space.
- 2. Cast Iron Switchfuse and fabricated distribution board.
- As the Switchfuse is Side operated due to the handle the Switch cannot be concealed.
- As the connection between Switchfuse and Distribution fuse board has to be made lot of time is wasted.
- 5. Handle not insulated.
- Switchfuses are dolly operated, having lot of moving parts. Hence failure rate is high.
- 7. Only Rewireable.
- Moving contacts are made of copper and fixed contacts are of Brass duly nickel plated.